(Old Collection)

2/69

File No AFD 36. FAF 69

MYSORE GOVERNMENT SECRETARIAT

Notes / Correspondence / Collection

Department A&F Section Forest B

Subject :— Corrigendum & Notification No AFD 55 FAF 68 dt. 25-6-68 (Sowmoor Block, Puttur Tq. S.K.Dt.)

Earlier References :— AFD 55 FAF 68 (Notn. under Sec(4) of IFA Act 1952)

Later References :— AFD 113 FAF 70 (Addendum)
FFD 5 FAF 77. (Final Notn. under Sec(7) of IFA Act 1963)

(Classification A / B / C)

Notes pages One 17/3/69

Correspondence pages 5

For/Not for Section note Book

To be destroyed after NIL

21.4.69

Under Secretary to Government.

ಉಪಾಯಲಿಪಿಕೆಯ
ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ,
ಅರಣ್ಯ, ಪರಿಸರ ಮತ್ತು ಜೀವಿ
ಶಾಸ್ತ್ರ ಇಲಾಖೆ (ಅರಣ್ಯ-ಬಿ)

A
1.6.04

AFD 36 FAF 69

Sl. No. 1-p 1

Letter No. B-6-15-221/58 dt. 28/12/68 from the C.C.F., Bangalore.

Note No. 1

A draft Corrigendum is put up for approval at serial No. 2-p 1

26-2-69 to p. 3

I file No. AFD 55 FAF 68 is placed below

15/3/69

Issue

14/3

ISSUED

Issued Sl. No. 2 p. 1

The file may now be recorded

18/3/69

B

17-2-69

Record B

17-3-69

Sl No 2-P1 Corrigendum 3.

No. AFD FAF[illegible]

M.G. Seth
V.S.
Bangalore
&c...

Flags

In the Govt. Notification No AFD 55 FAF68 dt. 25-6-68 published as S.O. No 1408 at pages 3356 & 3361 of Part IV - Section 2-C-(ii) of the Mysore Gazette dt. 11-7-68, make the following changes:-

(i) Page 3358. For the figure '153' appearing in column 3 of the statement against station Nos. 51 & 52, substitute the figure '143'.

Page 3359.

(ii) For the words and figures, "station No. 88 and 87" appearing in line 6 against "South" (Boundary Description), read "Station No. 86 and 87"

Page 3361

(iii) In columns 1 and 2 of the

Strike out the statement appearing under 'West' 14.

make the following changes :-

For existing figures		Substitute the new figures	
1	2	1	2
5	6	4	5
6	7	5	6
7	8	6	7
8	9	7	8
9	10	8	9
10	11	9	10
11	12	10	11
12	13	11	12
13	14	12	13
14	15	13	14
15	16	14	15
16	17	15	16
17	18	16	17
18	19	17	18
19	20	18	4
20	21	19	20
21	22	20	21
22	23	21	22
23	24	22	23
24	25	23	24
25	26	24	25
26	27	25	26
27	28	26	27
		27	28

S.R.O. No. 75

By order etc.

14/3

U.S. to Govt, A. & F. Dept.

To, The Compiler, Mysore Gazette, Bangalore, in duplicate for publication in the Gazette and for supply of 10 printed copies of the notification to the D.F.O., Survey & Demarcation, Mangalore

Copies to:-

(1) The C.C.F., Bangalore
(2) The Dvl. Comm., Mysore
(3) The Dy. Comm., S. Kanara, Mangalore
(4) The R.O.

ISSUED

SR No 1 - P1.

6.

No.B6-15-221/68

i.e. one printed Notification

CHIEF CONSERVATOR'S OFFICE,
Bangalore: Dated: 26 Dec. 1968

To

The Secretary to Government,
Agriculture and Forest Department,
BANGALORE.

Sir,



Sub:- Government Notification under Section 4 of the Madras Forest Act in respect of Forest Block Savanoor in Puttur Taluk of South Kanara District - Issue of Corrigendum requested -

Ref:- Government Notification No. AFD 55 FAF 68 dated 25th June 1968.

-oOo-

In the above Notification, printed in the Mysore Gazette dated 11-7-1968 published at pages 3356 to 3361 of part IV-Section 2-c(ii), errors as noted in the draft corrigendum below, are noticed:-

~~PLEASE~~: DRAFT CORRIGENDUM

In Notification No. AFD 55 FAF 68 (S.O.1408) dated 25th June 1968 make the following changes:-

Page 3358: For the figures '153' appearing in column 3 of the statement against station Nos. 51 to 52, substitute the figures '143'.

Page 3359:-For 'Station No. 88 and 87' appearing in line 6 against 'South' (Boundary Description), read "Station No. 86 and 87".

Page 3361:- In columns 1 & 2 of the statement appearing under West make the following changes:-

For existing figures		Substitute the new figures	
1.	2.	1.	2.
5	6	4	5
6	7	5	6
7	8	6	7
8	9	7	8
9	10	8	9
10	11	9	10
11	12	10	11
12	13	11	12
13	14	12	13
14	15	13	14
15	16	14	15
16	17	15	16
17	18	16	17
18	19	17	18
19	20	18	19
20	21	19	20
21	22	20	21
22	23	21	22
23	24	22	23
24	25	23	24
25	26	24	25
26	27	25	26
27	28	26	27
-	-	27	28

Government may kindly be moved to issue the above draft corrigendum for publication in the Mysore Gazette with instructions to the compiler of the Gazette to supply 10 copies of the printed corrigendum to the Divisional Forest Officer, Survey and Demarcation, Mangalore.

Yours faithfully

D. Ranganathappa 27/12
CHIEF CONSERVATOR OF FORESTS.

SR.No 1-A Pt1 3356

AGRICULTURE AND FOREST SECRETARIAT

NOTIFICATION.

Bangalore, dated 25th June 1968.

S. O.1408.—In exercise of the powers conferred by Section 4 of the Madras Forest Act, 1882 (Madras Act No. V of 1882), as in force in the Madras Area, the Government of Mysore hereby—

(i) declares that it is proposed to constitute the lands in the Puttur Taluk, South Kanara District, the situation and limits of which are specified in the schedule hereto annexed as reserved forest;

(ii) appoints the Forest Settlement Officer, South Kanara, Mangalore to be the Forest Settlement Officer for purposes of clause (*c*) of the said section; and

(iii) appoints the Divisional Forest Officer, Mangalore to attend on behalf of the Government at the inquiry conducted by the said Forest Settlement Officer.

Under Section 14 of the said Act, the Government of Mysore hereby appoints the Deputy Commissioner of South Kanara District to hear appeals on any orders passed by the Forest Settlement Officer under Sections 11, 12 and 13 of the said Act.

SCHEDULE.

Name of the District : South Kanara.
Name of the Taluk : Puttur Taluk.
Name of the Block : Savanoor Block
Name of the Village : Savanoor Village
Survey Field No. : 114
Extent. : 85.50 acres.

Boundary Description.

This block is on the right side of the main road leading from Puttur to Subramanya *via* Darbe Puttur and it is about 4 furlongs away from the main road at Savanoor junction in Savanoor Village.

North: Starting from station No. 28, a point situated at the newly demarcated cairn No. 20, the demarcation line of the block runs in almost North-East direction to a distance of 1,117 links to join station No. 32, passing through intermediate stations No. 29 to 31. Thence it runs in the South-East direction to a distance of 1556 links to join station No. 41 passing through the intermediate stations 33 to 40. Thence it runs in South-West direction a distance of 1055 links to join station No. 45 passing through intermediate stations 42 to 44. Thence the boundary line of the block runs in the South-East direction to a distance of 317 links to join station No. 46. From there it runs in the North-East direction, a distance of 1253 links to join station No. 51 passing through intermediate stations 47 to 50. Thence it runs in almost South-East direction to a distance of 2,193 links to join station No. 59 passing through the intermediate stations 52 to 58. From there it runs in almost North-East direction to a distance of 1587 links to join station No. 68, passing through intermediate stations No. 60 to 67. Thence it runs in the South-East direction to a distance of 413 links to join station No. 71 passing through the intermediate stations No. 69 and 70. The Bearings and distances from station to station are as follows:

Station Numbers From	To	Bearings in degrees in F. B.	Distances in links.
1	2	3	4
28	29	74	270
29	30	83	160
30	31	80	307
31	32	78.30°	180
32	33	123	200
33	34	147	245
34	35	152.30	180
35	36	163	150

8(1)-1-A p3
3358
9

1	2	3	4
36	37	152.30°	145
37	38	176.30°	107
38	39	152.30°	190
39	40	164	165
40	41	171.30°	175
41	42	235	165
42	43	219.30°	300
43	44	214.30°	180
44	45	215	410
45	46	126.30°	317
46	47	64	230
47	48	54	228
48	49	64	470
49	50	68	175
50	51	85	160
51	52	(153) 143	440
52	53	147	208
53	54	100.30°	230
54	55	113	600
55	56	101	150
56	57	93	270
57	58	100.30°	150
58	59	105	150
59	60	78	200
60	61	49.30°	217
61	62	35 30°	170
62	63	33.30°	128
63	64	54.30°	160
64	65	47	132
65	66	59.30°	140
66	67	58	260
67	68	73	180
68	69	93	100
69	70	91	103
70	71	95	210

East.—The boundary line runs in the South-West direction to a distance of 576 links to join station No. 75 passing through the intermediate stations No. 72 to 74. Thence, it runs in the South-East direction to a distance of 95 links to join station No. 76. Thence again it runs in the South-West direction to a distance of 243 links to join station No. 78 passing through the intermediate stations No. 77. And then again it runs in the South-East direction to a distance of 220 links to join station No. 79. And

3359

Sl. No 21 - A Pg No.

from there it runs in the South-West direction to a distance of 661 links to join station No. 84, passing through the intermediate stations No. 80 and 81. The bearings and distances from station to station are as follows :—

1	2	3	4
71	72	215	100
72	73	227	136
73	74	188.30°	204
74	75	175.30°	136
75	76	167	95
76	77	237	125
77	78	244	118
78	79	161.30°	220
79	80	190.30°	215
80	81	249.30°	168
81	82	213	278

South .—The boundary line of the block runs in almost South-West direction to a distance of 1,055 links to reach the station No. 85 passing through the intermediate station No. 83 and 84 And thence it runs in the North-West direction to a distance of 449 links to join station No. 88 passing through intermediate stations No. (88) and 87. 86
Thence it runs in the South-West direction to a distance of 528 links to join station No. 91 passing through the intermediate station No. 89 and 90. Thence it runs in North-West direction to a distance of 333 links to join station No. 92 And from there it runs in the South-West direction to a distance of 536 links to join station No. 95 passing through the intermediate station No. 93 and 94. Thence it runs in the North-West direction to a distance of 961 links to join station No. 100 passing through the intermediate stations No. 96 to 99. Thence it runs in the South West direction to a distance of 500 links to join station No. 101. And from there it runs in the North-West direction to a distance of 240 links to join station No. 102. Thence it runs in almost South-West direction to a distance of 1,065 links to join station No 1, passing through the intermediate stations No. 103 to 106. Thence it runs in the North-West direction to a distance of 661 links to join station No. 4 passing through the intermediate stations

Sl. No. 1 A P5

3360

2 and 3. The bearings and ditances from station to station are follows :--

1	2	3	4
82	83	267.30°	475
83	84	270	370
84	85	266.30°	210
85	86	291	160
86	87	280.30°	135
87	88	253	154
88	89	240	170
89	90	230	178
90	91	239.30°	180
91	92	290	333
92	93	263	100
93	94	265	190
94	95	271.30°	246
95	96	286.30°	200
96	97	285	133
97	98	305	190
98	99	281	260
99	100	263	176
100	101	230	500
101	102	275.30°	240
102	103	247.30°	295
103	104	247	150
104	105	243.30°	220
105	106	249	140
106	1	225	260
1	2	293	180
2	3	283.30°	177
3	4	295	304

West :—From station No. 4, the demarcatioon line runs in Northern direction a distance of 305 links to reach the station No. 5. From there it runs in almost North-East direction to a distance of 960 links to joion station No. 10 passing through the intermediate stations No. 6 to 9. Thence it runs in the North-West direction to a distance of 290 links to join station No. 12 passing through the intermediate station No 11. Thence it runs in the North-East direction to a distance of 480 links to join station No. 14, passing through the intermediate station No. 13. And from there it runs in Northern direction to a distance of 280 links to join station No. 15. Thence it runs in the North-West direction to a distance of 1220 links to join station No. 21 passing through the intermediate stations

3361 SR.No.1-A-p. 6 12

No. 16 to 20. And from there it runs in the western direction to a distance of 273 links to reach the station No. 22. Thence it runs in the North-West direction to a distance of 342 links to join station No. 24 passing through the intermediate station No. 23. Thence it runs in the North-East direction to a distance of 929 links to join station No. 28, passing through intermediate station No. 25 to 27 which is a starting point. Bearings and distances from station to station are as follows :—

1	2	3	4
(5) 4	5 (6)	0.30°	305
(6) 5	6 (7)	60	220
(7) 6	7 (8)	54	207
(8) 7	8 (9)	70.30°	140
(9) 8	9 (10)	77.30°	200
(10) 9	10 (11)	70	93
(11) 10	11 (12)	351	140
(12) 11	12 (13)	342	150
(13) 12	13 (14)	7	160
(14) 13	14 (15)	49.30°	320
(15) 14	15 (16)	0°	280
(16) 15	16 (17)	340	125
(17) 16	17 (18)	318	120
(18) 17	18 (19)	338 30°	220
(19) 18	19 (20)	302	260
(20) 19	20 (21)	290	200
(21) 20	21 (22)	285	295
(22) 21	22 (23)	257.30°	273
(23) 22	23 (24)	346	188
(24) 23	24 (25)	357.30°	154
(25) 24	25 (26)	32	184
(26) 25	26 (27)	68.30°	270
(27) 26	27 (28)	21	300
27	28	13	175

Other Privileges.—

(1) Free grazing of cattle by the villagers.
(2) Free removal of green manure leaves for *bona-fide* use by ryots.
(3) Free removal of dry fuel for *bona-fide* use by the ryots.
(4) Free removal of Muligrass for *bona-fide* use by the villagers.

[No. AFD 55 FAF 68.]

By Order and in the name of the Governor of Mysore

618 S. BALASUBRAMANYAN, *Under Secy.*

Printed by the Director of Printing, Sty. & Publications at the Govt. Press, B'lore.

15-7-68

13.

GOVERNMENT OF MYSORE

No.AFD 36 FSF 58. Mysore Government Secretariat,
Vidhana Soudha,

Bangalore, dated: 15-9-1958.

NOTIFICATION.

In the Government Notification No.AFD 53 FSF 58 dated 25-6-1958 published as S.O.No.1208 at pages 3255 to 3261 of Part IV - Section 2-c-(ii) of the Mysore Gazette dated 11-7-1958, make the following changes:-

i) Page 3258- For the figure '138' appearing in column 3 of the statement against station Nos.31 to 34, substitute the figure '140'.

ii) Page 3259- For the words and figures, 'Station No.36 and 37 appearing in line 6 against 'South' (Boundary Description) read 'Station No.35 and 37'.

iii) Page 3261- In columns 1 and 2 of the statement appearing under 'North' make the following changes:-

For existing figures		Substitute the new figures.	
1	2	1	2
5	6	4	5
6	7	5	6
7	8	6	7
8	9	7	8
9	10	8	9
10	11	9	10
11	12	10	11
12	13	11	12
13	14	12	13
14	15	13	14
15	16	14	15
16	17	15	16
17	18	16	17
18	19	17	18
19	20	18	19
20	21	19	20
21	22	20	21
22	23	21	22
23	24	22	23
24	25	23	24
25	26	24	25
26	27	25	26
27	28	26	27
		27	28

By Order and in the name of the
Governor of Mysore,

(T.Balakrishnaiyer)
Under Secretary to Government,
Agriculture & Forest Department.

To
The Compiler, Mysore Gazette, Bangalore in duplicate for publication in the Gazette, and for supply of 10 printed copies of the notification to the Divisional Forest Officer, Survey & Demarcation, Mangalore.

Copies to:-
1) The Chief Conservator of Forests in Mysore, Bangalore.
2) The Divisional Commissioner, Mysore Division, Mysore.
3) The Deputy Commissioner, South Kanara, Mangalore.
4) The Revenue Department.

hms/15-9/